

केआरसी पम्प लगाएये...
निश्चीत हो जाएये...



Agriculture
Domestic Industrial
SUBMERSIBLE PUMPS

PRICE LIST



ENJOY THE WATER TECHNOLOGY

Value for
Money
Peace of
Mind



New Improved
Model
Save upto 35%
Electricity Bill



All Rotating Parts
are Dynamically
Balanced
Minimum VIBRATION



Minimum
Maintenance
Cost



Minimum
Operating
Cost



Withstand wide
Voltage
Fluctuation



High Quality
Electrical
Stampings
Low Start Loss



Voted by
Millions of
Happy
Customer



Total
Quality
Management



ABOUT US

We feel Great Pleasure to introduce our self as one of the reputed and fast growing firm in RAJKOT (Gujarat) INDIA. Manufacturing of "KRC" Brand Submersible Pump Set & Horizontal Open well Centrifugal Monoblock Pumps & Motors with superior Quality which has wide Range of application in domestic, Industrial & Agriculture purpose.

VISION

We are Enthusiastic, Young Qualified and experienced team. Worker under one Roof is willing to expand our Business Horizons. To make a reputed brand though stringent quality control with customer satisfaction and technology up-gradation.

MISSION

Our primary goal is to produce energy efficient pump sets to save energy for the benefit of end users like Farmers, Industries, etc and more importantly for the nation and this world to survive for more and more years.



COMPANY INFO

We started Our Journey in 1994 with Manufacturing of Submersible pumps set & Centrifugal monoblock pumps under the brand name of "KRC". We always believes in Quality and its a way of life at our factory.

We always take feedback from our Customers to enable us to improve and upgrade regularly.

We have the most modern equipment, advanced technology backed with professional and experienced team to keep on developing innovative and improved quality products.

PRODUCTS

Our Product Range includes different types of submersible pump set in radial & mixed flow design (single phase & three phase) with ISI mark & Horizontal Open Well Pump (single phase & three phase) for residential complex, gardens, Hospitals, small farms & agriculture purpose.

QUALITY SYSTEM

The unit is situated in a premier industrial town Rajkot (Gujarat) our unit is Fully Equiped with necessary infrastructure and quality system to manufacturer of the Submersible pumps set & Centrifugal monoblock pumps. we have our own complete machining workshop.

We are using the parts like rotors & impellers are dynamically balanced for smooth and vibration free running of the motor.

Our Testing Laboratory fully Computerized.

We have also obtained ISI licence from Bureau of Indian standards for submersible pump set and NSIC, CE, D & B, BEE star labelling.

ISO 9001 : 2015 Certified Company



INDEX



| Sr. No. | Description | Page No. |
|---------|--|----------|
| 1 | V-3 Submersible Pumpset Performance & Price | 1 |
| 2 | V-4 Submersible Pumpset Performance & Price | 2 |
| 3 | V-4 Submersible Pumpset Performance & Price | 3 |
| 4 | V-5 Submersible Pumpset Performance & Price | 4 |
| 5 | V-6 S.S. 50 Ft. Submersible Pumpset Performance & Price | 5 |
| 6 | V-6 S.S. 50 Ft. Submersible Pumpset Performance & Price | 6 |
| 7 | V-6 S.S. 70 Ft. Submersible Pumpset Performance & Price | 7 |
| 8 | V-6 S.S. 70 Ft. Submersible Pumpset Performance & Price | 8 |
| 9 | V-6 C.I. 50 Ft. Submersible Pumpset Performance & Price | 9 |
| 10 | V-6 C.I. 50 Ft. Submersible Pumpset Performance & Price | 10 |
| 11 | V-6 Mixflow Submersible Pumpset Performance & Price | 11 |
| 12 | V-6 Mixflow (262) Submersible Pumpset Performance & Price | 12 |
| 13 | V-6 Mixflow (273, 302) Submersible Pumpset Performance & Price | 13 |
| 14 | V-6 Janta Model Submersible Pumpset Performance & Price | 14 |
| 15 | V-7 & V-9 Horizontal Openwell Pumpset Performance & Price | 15 |
| 16 | V-5 & V-6 Submersible Only Motor Price | 16 |

Note :

The information in this performance chart will be useful to obtain best results. All the loss factors are considered and if the proper model is selected the customer can be given maximum satisfaction



RESULT SHOWN IN CHARTS ARE OBTAINED AT 220 V FOR SINGLE PHASE AND 415 V FOR THREE PHASE AT 50 HZ FREQUENCY.

CHANGE IN PERFORMANCE DUE TO CHANGE VOLTAGE AND FREQUENCY

| VOLTAGE | | THREE PHASE | | SINGLE PHASE | |
|---------|------|-------------------|------------------------|-------------------|------------------------|
| T.P. | S.P. | REDUCTION IN HEAD | REDUCTION IN DISCHARGE | REDUCTION IN HEAD | REDUCTION IN DISCHARGE |
| 420V | 240V | NIL | NIL | NIL | NIL |
| 351V | 200V | 5% | 5% | 5% | 3% |
| 300V | 180V | 10% | 8% | 8% | 6% |
| 280V | 160V | 15% | 12% | 12% | 9% |
| 250V | 140V | 20% | 20% | 15% | 12% |

| FREQUENCY | CHANGE IN OUTPUT IN % |
|---------------|-----------------------|
| 51.0 | +6% |
| STANDARD 50.0 | NIL |
| 49.5 | -3% |
| 49.0 | -6% |
| 48.5 | -9% |
| 48.0 | -12% |
| 47.5 | -15% |

Please Note That If Frequency Dropped by 1 Hz Then Motor Losses 60 R.P.M. Which Decreases Performance of the Pump.

ESSENTIAL INFORMATIONS FOR DEALERS:-

CONSIDER LOSSES MUST BE WHEN SELECT PROPER MODEL

- Voltage Loss : Incoming Voltage Is Lesser Than Normal
- Voltage Loos Due To Cable : Use Of Substandard Quality Cable Drop Voltage As Current Passes Through It.
- Delivery Pipe Loss : Smaller Or Rough Surfaced(Inside) Pipe Decreases Discharge Of The Pump. Size Of The Pipe Must Be As Per Size Other Outlet Of The Pump.
- Head Loss Due Bends In Line : When Select Model Must Calculate All Bends In Line. One Bends Causes 5 Ft. Loss In Total Head.

કિલરો માટે જરૂરી માહિતી











નુકસાનને ધ્યામાં રાખી યોગ્ય મોડેલ પસંદ કરો.

- સામાન્ય કરતા ઓછા વોલ્ટેજમાં પણ પાણી ઓછું આવે છે. ■ યોગ્ય ગુણવત્તા વાળા કેબલ ન વાપરતા મોટરને વોલ્ટેજ ઓછા મળે છે. ■ સબમર્શીઅલ પંપની આઉટલેટ લાઈન કરતા કિલીવરી લાઈન નાની હોય અથવા તો અંદરની સપાટી રફ હોય તો પણ પાણી ઓછું આવે છે. ■ કિલીવરી લાઈનમાં આવતા વાલાંકને કારણે પાણી ઓછું આવે છે તેમા આવતા ૧ વાલાંક દીઠ ૫ ફુટ સુધીનો હેડ ઓછો થઈ જાય છે.



General Reasons For Pump Failures



- 50 % of Pump Failure are Due To Wrong Pump Model Selection  
- 20 % of Pump Failures are Due to usage of Poor Quality Accessories such as Starter, Cable, Pipe, Valve, etc.  
- 15 % of Pump Failures are Due to Wrong Installation Methods by unskilled & untrained man power.  
- 10 % of Pump Failures are Due to Poor field Conditions such as low / high voltage, sandy / saline water, change in water table etc.  
-  3 % of Pump Failures are Due to Manufacturing defects
-  2 % of Pump Failures are Due to other Reasons like handling etc.

CABLE SELECTION CHART

| AMPERE RANGE | CABLE SIZE |
|--------------|------------|
| UP TO 6 AMP. | 1.5 MM |
| 7 - 10 AMP | 2.5 MM |
| 11 - 15 AMP | 4.0 MM |
| 16 - 22 AMP | 6.0 MM |
| 23 - 36 AMP | 10.0 MM |

V- 6 SUBMERSIBLE PUMP SET CABLE SIZE & TYPE STARTER

| HP | AMP | RELAY RANGE | STARTER TYPE | CABLE SIZE |
|------|-----|-------------|--------------|---------------|
| 5.0 | 9 | 6-10 | DOL | 2.5 MM |
| 6.0 | 11 | 9-14 | DOL | 4 MM |
| 7.5 | 13 | 9-14 | DOL | 4 MM |
| 10 | 17 | 6-10 | START DELTA | 2.5 MM DOUBLE |
| 12.5 | 21 | 9-14 | START DELTA | 2.5 MM DOUBLE |
| 15 | 24 | 9-14 | START DELTA | 4 MM DOUBLE |
| 17.5 | 28 | 10-16 | START DELTA | 4 MM DOUBLE |
| 20 | 32 | 13-21 | START DELTA | 4 MM DOUBLE |
| 25 | 38 | 24-32 | START DELTA | 6 MM DOUBLE |
| 30 | 45 | 24-32 | START DELTA | 6 MM DOUBLE |





| MODEL : KP3-2 | | | | OUTLET : 1 | | VOLT : 240 | | DUTY POINT H. PER STG. : 3.0 MAX. HEAD PER STG. : 6 | | | |
|---------------|------|--------|------------------------------------|-------------------------------|----|------------|----|--|-----|---------------------|--|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP SET (WITHOUT PANEL) | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | 45 | 35 | 30 | 25 | 20 | 12 | LPM | |
| KP2-0510 | 0.50 | 10 | 8,200 | 10 | 20 | 25 | 30 | 35 | 43 | Total Head in Meter | |
| KP2-7514 | 0.75 | 15 | 9,600 | 14 | 28 | 35 | 42 | 49 | 60 | | |
| KP2-1018 | 1.00 | 20 | 11,400 | 20 | 40 | 50 | 59 | 69 | 85 | | |
| KP2-1525 | 1.50 | 25 | 13,600 | 25 | 50 | 63 | 75 | 88 | 107 | | |

| MODEL : KP3-4 | | | | OUTLET : 1 | | VOLT : 240 | | DUTY POINT H. PER STG. : 3.0 MAX. HEAD PER STG. : 4.30 | | | |
|---------------|------|--------|------------------------------------|-------------------------------|----|------------|----|---|----|---------------------|--|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP SET (WITHOUT PANEL) | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | 55 | 45 | 40 | 35 | 25 | 15 | LPM | |
| KP4-058 | 0.50 | 8 | 8,200 | 8 | 16 | 20 | 24 | 28 | 34 | Total Head in Meter | |
| KP4-7512 | 0.75 | 12 | 9,600 | 12 | 24 | 30 | 36 | 42 | 51 | | |
| KP4-1015 | 1.00 | 15 | 11,400 | 16 | 32 | 40 | 48 | 56 | 69 | | |
| KP4-1020 | 1.50 | 20 | 13,600 | 20 | 40 | 50 | 60 | 70 | 86 | | |

| MODEL : KP3-5 | | | | OUTLET : 1.25 | | VOLT : 240 | | DUTY POINT H. PER STG. : 2.5 MAX. HEAD PER STG. : 4.0 | | | |
|---------------|------|--------|------------------------------------|-------------------------------|----|------------|----|--|----|----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP SET (WITHOUT PANEL) | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | 95 | 75 | 65 | 55 | 45 | 35 | 20 | LPM |
| KP5-758 | 0.75 | 8 | 9,600 | 8 | 12 | 16 | 20 | 24 | 28 | 32 | Total Head in Meter |
| KP5-1012 | 1.00 | 12 | 11,400 | 12 | 18 | 24 | 30 | 36 | 42 | 48 | |
| KP5-1515 | 1.50 | 15 | 13,600 | 15 | 23 | 30 | 38 | 45 | 53 | 60 | |

| MODEL : KP3-7 | | | | OUTLET : 1.25 | | VOLT : 240 | | DUTY POINT H. PER STG. : 2.5 MAX. HEAD PER STG. : 4.0 | | | |
|---------------|------|--------|------------------------------------|-------------------------------|-----|------------|----|--|----|----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP SET (WITHOUT PANEL) | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | 115 | 100 | 80 | 70 | 60 | 45 | 25 | LPM |
| KP7-109 | 1.00 | 10 | 11,400 | 9 | 14 | 18 | 23 | 27 | 32 | 36 | Total Head in Meter |
| KP7-1512 | 1.50 | 12 | 13,600 | 12 | 18 | 24 | 30 | 36 | 43 | 48 | |





| MODEL : KP-1 | | OUTLET : 1 | | VOLT : 240 | | DISCHARGE IN LITER PER MINUIT | | | | | | |
|--------------|------|------------|--------------|-------------|-------------------------------|-------------------------------|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMUM MODEL | SUPER MODEL | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 55 | 45 | 40 | 30 | 25 | 20 | 15 | |
| KP1-510 | 0.5 | 10 | 11,400 | 10,850 | 13 | 22 | 31 | 42 | 46 | 48 | 53 | Total Head in Meter |
| KP1-7515 | 0.75 | 15 | 13,400 | 12,200 | 14 | 26 | 43 | 55 | 63 | 70 | 78 | |
| KP1-120 | 1 | 20 | 15,600 | 13,800 | 18 | 38 | 58 | 78 | 80 | 90 | 108 | |
| KP1-1525 | 1.5 | 25 | 17,800 | 16,000 | 31 | 58 | 80 | 92 | 104 | 117 | 130 | |
| KP1-230 | 2 | 30 | 19,800 | 18,400 | 38 | 61 | 100 | 123 | 136 | 151 | 156 | |
| KP1-335 | 3 | 35 | 22,400 | 20,400 | 64 | 69 | 107 | 130 | 141 | 164 | 183 | |
| KP1-545 | 5 | 45 | 27,000 | - | 95 | 121 | 150 | 180 | 200 | 220 | 234 | |

| MODEL : KP-2 | | OUTLET : 1 | | VOLT : 240 | | DISCHARGE IN LITER PER MINUIT | | | | | | |
|--------------|------|------------|--------------|-------------|-------------------------------|-------------------------------|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMUM MODEL | SUPER MODEL | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 70 | 63 | 58 | 50 | 45 | 35 | 20 | |
| KP2-058 | 0.5 | 8 | 11,400 | 10,700 | 14 | 21 | 25 | 28 | 32 | 35 | 38 | Total Head in Meter |
| KP2-7512 | 0.75 | 12 | 13,200 | 12,000 | 20 | 30 | 35 | 40 | 45 | 50 | 55 | |
| KP2-115 | 1 | 15 | 15,400 | 13,600 | 30 | 45 | 53 | 60 | 68 | 75 | 82 | |
| KP2-1520 | 1.5 | 20 | 17,600 | 15,800 | 40 | 60 | 70 | 80 | 90 | 100 | 110 | |
| KP2-225 | 2 | 25 | 19,200 | 18,000 | 50 | 75 | 88 | 100 | 113 | 125 | 138 | |
| KP2-330 | 3 | 30 | 22,000 | 20,000 | 60 | 90 | 105 | 120 | 135 | 150 | 165 | |
| KP2-335 | 5 | 40 | 26,600 | 20,400 | 80 | 120 | 140 | 160 | 180 | 225 | 220 | |

| MODEL : KP-4 | | OUTLET : 1 | | VOLT : 240 | | DISCHARGE IN LITER PER MINUIT | | | | | | |
|--------------|------|------------|--------------|-------------|-------------------------------|-------------------------------|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMUM MODEL | SUPER MODEL | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 100 | 85 | 80 | 67 | 57 | 47 | 40 | |
| KP4-55 | 0.5 | 5 | 11,400 | 10,700 | 10 | 15 | 18 | 20 | 23 | 25 | 28 | Total Head in Meter |
| KP4-7510 | 0.75 | 10 | 13,200 | 12,000 | 16 | 24 | 28 | 32 | 36 | 40 | 44 | |
| KP4-110 | 1 | 10 | 15,000 | 13,400 | 20 | 30 | 35 | 40 | 45 | 50 | 55 | |
| KP4-112 | 1 | 12 | 15,000 | 13,400 | 20 | 30 | 35 | 40 | 45 | 50 | 55 | |
| KP4-1515 | 1.5 | 15 | 17,200 | 15,600 | 30 | 45 | 53 | 60 | 67 | 75 | 82 | |
| KP4-220 | 2 | 20 | 18,800 | 17,600 | 40 | 60 | 70 | 80 | 90 | 100 | 110 | |
| KP4-325 | 3 | 25 | 21,800 | 19,600 | 50 | 75 | 88 | 100 | 113 | 125 | 138 | |
| KP4-535 | 5 | 35 | 26,200 | - | 70 | 105 | 123 | 140 | 157 | 175 | 193 | |





| MODEL : KP-5 | | OUTLET : 1.25 | | VOLT : 240 | | DUTY POINT H. PER STG. : 4.5 MAX. HEAD PER STG. : 6 | | | | | | |
|--------------|------|---------------|---------------|-------------|-------------------------------|--|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMIUM MODEL | SUPER MODEL | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 130 | 110 | 100 | 85 | 75 | 60 | 50 | |
| KP5-0756 | 0.75 | 6 | 12,800 | 11,600 | 12 | 18 | 21 | 24 | 27 | 30 | 33 | Total Head in Meter |
| KP5-18 | 1 | 8 | 14,800 | 13,200 | 14 | 21 | 25 | 28 | 32 | 35 | 38 | |
| KP5-1510 | 1.5 | 10 | 16,800 | 15,400 | 20 | 30 | 35 | 40 | 45 | 50 | 55 | |
| KP5-1512 | 1.5 | 12 | 16,800 | 15,400 | 24 | 36 | 42 | 48 | 54 | 60 | 66 | |
| KP5-215 | 2 | 15 | 18,600 | 17,400 | 30 | 45 | 53 | 60 | 68 | 75 | 82 | |
| KP5-320 | 3 | 20 | 21,400 | 19,400 | 40 | 60 | 70 | 80 | 90 | 100 | 110 | |
| KP5-530 | 5 | 30 | 25,800 | - | 60 | 90 | 105 | 120 | 135 | 175 | 193 | |

| MODEL : KP-7 | | OUTLET : 1.50 | | VOLT : 240 | | DUTY POINT H. PER STG. : 4.5 MAX. HEAD PER STG. : 6 | | | | | | |
|--------------|------|---------------|---------------|-------------|-------------------------------|--|-----|-----|-----|----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMIUM MODEL | SUPER MODEL | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 140 | 130 | 120 | 110 | 98 | 90 | 75 | |
| KP7-16 | 1 | 6 | 14,800 | 13,200 | 12 | 18 | 21 | 24 | 27 | 30 | 33 | Total Head in Meter |
| KP7-159 | 1.5 | 9 | 16,800 | 15,000 | 18 | 27 | 32 | 36 | 41 | 45 | 50 | |
| KP7-212 | 2 | 12 | 18,400 | 17,200 | 24 | 36 | 42 | 48 | 54 | 60 | 66 | |
| KP7-315 | 3 | 15 | 21,000 | 19,200 | 30 | 45 | 53 | 60 | 68 | 75 | 82 | |
| KP2-525 | 5 | 25 | 25,600 | - | 50 | 75 | 88 | 100 | 113 | 12 | 138 | |

| MODEL : KP-10 | | OUTLET : 2 | | VOLT : 240 | | DUTY POINT H. PER STG. : 4.5 MAX. HEAD PER STG. : 6 | | | | | | |
|---------------|------|------------|-------------------------|-----------------------|-------------------------------|--|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMIUM (WITHOUT PANEL) | SUPER (WITHOUT PANEL) | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 180 | 165 | 150 | 140 | 123 | 105 | 90 | |
| KP10-15 | 1 | 5 | 14,800 | 13,200 | 10 | 15 | 18 | 20 | 23 | 25 | 28 | Total Head in Meter |
| KP10-158 | 1.5 | 6 | 16,800 | 15,200 | 16 | 24 | 28 | 33 | 36 | 40 | 43 | |
| KP10-210 | 2 | 10 | 18,200 | 17,200 | 20 | 30 | 35 | 40 | 45 | 50 | 55 | |
| KP10-312 | 3 | 12 | 20,800 | 19,200 | 24 | 36 | 42 | 48 | 54 | 60 | 66 | |
| KP10-520 | 5 | 20 | 25,400 | - | 40 | 60 | 70 | 80 | 90 | 100 | 110 | |

| MODEL : KP-12 | | OUTLET : 2 | | VOLT : 240 | | DUTY POINT H. PER STG. : 4.5 MAX. HEAD PER STG. : 6 | | | | | | |
|---------------|------|------------|-------------------------|-----------------------|-------------------------------|--|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMIUM (WITHOUT PANEL) | SUPER (WITHOUT PANEL) | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 200 | 185 | 170 | 155 | 135 | 125 | 105 | |
| KP12-156 | 1.5 | 5 | 16,800 | 15,200 | 12 | 18 | 21 | 24 | 27 | 30 | 33 | Total Head in Meter |
| KP12-28 | 2 | 8 | 18,200 | 17,200 | 16 | 24 | 28 | 32 | 36 | 40 | 44 | |
| KP12-310 | 3 | 10 | 20,800 | 19,200 | 20 | 30 | 35 | 40 | 45 | 50 | 55 | |
| KP12-515 | 5 | 15 | 25,200 | - | 30 | 45 | 53 | 60 | 68 | 75 | 82 | |

| MODEL : KP-18 | | OUTLET : 2 | | VOLT : 240 | | DUTY POINT H. PER STG. : 4.5 MAX. HEAD PER STG. : 6 | | | | | | |
|---------------|------|------------|-------------------------|-----------------------|-------------------------------|--|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRIMIUM (WITHOUT PANEL) | SUPER (WITHOUT PANEL) | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 305 | 290 | 260 | 250 | 230 | 200 | 150 | |
| KP18-28 | 2 | 8 | 19,800 | 18,600 | 16 | 24 | 28 | 32 | 36 | 40 | 44 | Total Head in Meter |
| KP18-310 | 3 | 10 | 22,400 | 21,000 | 20 | 30 | 35 | 40 | 45 | 50 | 55 | |
| KP18-512 | 5 | 12 | 27,000 | - | 24 | 36 | 42 | 48 | 54 | 60 | 66 | |



V-5
30
FEET HEAD

**V-5 Submersible Pump Set Made From Virgin Grade
Bowl Set Suitable for 150mm Bore dia.**



| MODEL : KP-4 | | | OUTLET : 1.5 | VOLT : 420 | DUTY POINT H. PER STG. : 7 MAX. HEAD PER STG. : 9 | | | | | | | |
|--------------|------|--------|----------------|--------------------|--|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 130 | 120 | 100 | 80 | 60 | 40 | 30 | LPM |
| KP4-315 | 3 | 15 | 9,200 | 32,800 | 16 | 31 | 54 | 75 | 94 | 104 | 108 | Total Head In Meter |
| KP4-527 | 5 | 27 | 13,500 | 40,200 | 29 | 56 | 98 | 135 | 170 | 188 | 195 | |
| KP4-632 | 6 | 32 | 15,200 | 44,300 | 34 | 66 | 116 | 160 | 200 | 222 | 230 | |
| KP4-740 | 7 | 40 | 18,000 | 50,300 | 43 | 83 | 145 | 200 | 250 | 258 | 288 | |

| MODEL : KP-5 | | | OUTLET : 1.5 | VOLT : 420 | DUTY POINT H. PER STG. : 7 MAX. HEAD PER STG. : 9 | | | | | | | |
|--------------|------|--------|----------------|--------------------|--|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 150 | 140 | 120 | 100 | 90 | 80 | 70 | LPM |
| KP5-312 | 3 | 12 | 8,500 | 32,100 | 15 | 38 | 53 | 72 | 75 | 80 | 88 | Total Head In Meter |
| KP5-522 | 5 | 22 | 11,600 | 38,300 | 35 | 75 | 100 | 120 | 138 | 150 | 158 | |
| KP5-627 | 6 | 27 | 13,700 | 42,800 | 50 | 92 | 130 | 162 | 168 | 172 | 175 | |
| KP5-732 | 7.5 | 32 | 15,200 | 47,500 | 65 | 120 | 165 | 192 | 200 | 207 | 215 | |
| KP4-1040 | 10 | 40 | 18,500 | 54,900 | 80 | 165 | 221 | 240 | 245 | 253 | 265 | |

| MODEL : KP-7 | | | OUTLET : 2 | VOLT : 420 | DUTY POINT H. PER STG. : 7 MAX. HEAD PER STG. : 9 | | | | | | | |
|--------------|------|--------|----------------|--------------------|--|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 175 | 165 | 150 | 130 | 120 | 110 | 90 | LPM |
| KP7-310 | 3 | 10 | 7,800 | 31,400 | 20 | 35 | 45 | 60 | 65 | 70 | 75 | Total Head In Meter |
| KP4-516 | 5 | 16 | 10,400 | 37,100 | 30 | 65 | 80 | 95 | 102 | 110 | 116 | |
| KP4-622 | 6.5 | 22 | 11,800 | 40,900 | 45 | 88 | 110 | 132 | 140 | 150 | 158 | |
| KP4-723 | 7.5 | 25 | 13,000 | 45,300 | 50 | 110 | 125 | 150 | 160 | 170 | 178 | |
| KP4-1028 | 10 | 28 | 14,700 | 51,100 | 60 | 120 | 140 | 168 | 180 | 190 | 196 | |

| MODEL : KP-10 | | | OUTLET : 2 | VOLT : 420 | DUTY POINT H. PER STG. : 7 MAX. HEAD PER STG. : 9 | | | | | | | |
|---------------|------|--------|----------------|--------------------|--|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 360 | 250 | 210 | 180 | 160 | 140 | 110 | LPM |
| KP10-38 | 3 | 8 | 6,800 | 30,400 | 16 | 28 | 40 | 48 | 52 | 55 | 58 | Total Head In Meter |
| KP10-512 | 5 | 12 | 9,600 | 36,300 | 24 | 48 | 60 | 72 | 78 | 84 | 90 | |
| KP10-616 | 6.5 | 16 | 10,700 | 39,800 | 32 | 55 | 80 | 96 | 102 | 110 | 115 | |
| KP10-7520 | 7.5 | 20 | 11,700 | 44,000 | 40 | 75 | 100 | 120 | 128 | 136 | 145 | |
| KP10-1025 | 10 | 25 | 14,000 | 50,700 | 52 | 100 | 125 | 150 | 160 | 168 | 185 | |



V-6
50
FEET HEAD

V-6 Submersible Pump Set Made From S.S. 304 Grade
Bowl Set S.S. Impeller 410 Grade Suitable for 150mm Bore dia.



| MODEL : KP-60 K-Type | | OUTLET : 2 | VOLT : 420 | | DUTY POINT H. PER STG. : 12 MAX. HEAD PER STG. : 15 | | | | | | | | | |
|----------------------|------|------------|----------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|--|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | | |
| | | | | | 250 | 225 | 195 | 180 | 160 | 150 | 130 | 100 | LPM | |
| KP60-35 | 3 | 5 | 11,800 | 34,800 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | Total Head in Meter | |
| KP60-58 | 5 | 8 | 16,400 | 42,100 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | | |
| KP60-610 | 6 | 10 | 19,300 | 47,650 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | | |
| KP60-7512 | 7.5 | 12 | 22,100 | 54,200 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | | |
| KP60-1016 | 10 | 16 | 27,800 | 62,600 | 80 | 112 | 144 | 160 | 176 | 192 | 208 | 224 | | |
| KP60-12520 | 12.5 | 20 | 33,300 | 71,700 | 100 | 140 | 180 | 200 | 220 | 240 | 260 | 280 | | |
| KP60-1524 | 15 | 24 | 39,600 | 84,400 | 120 | 168 | 216 | 240 | 264 | 288 | 312 | 336 | | |
| KP60-1726 | 17.5 | 26 | 42,500 | 92,300 | 130 | 182 | 234 | 260 | 286 | 312 | 338 | 364 | | |

| MODEL : KP-80 K-Type | | OUTLET : 2 | VOLT : 420 | | DUTY POINT H. PER STG. : 12 MAX. HEAD PER STG. : 15 | | | | | | | | | |
|----------------------|------|------------|----------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|--|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | | |
| | | | | | 310 | 280 | 250 | 225 | 205 | 180 | 150 | 110 | LPM | |
| KP80-34 | 3 | 4 | 10,500 | 33,500 | 20 | 28 | 36 | 40 | 44 | 48 | 52 | 56 | Total Head in Meter | |
| KP80-56 | 5 | 6 | 13,700 | 39,400 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | | |
| KP80-68 | 6 | 8 | 16,600 | 44,950 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | | |
| KP80-7510 | 7.5 | 10 | 19,500 | 51,600 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | | |
| KP80-1012 | 10 | 12 | 22,300 | 57,100 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | | |
| KP80-12515 | 12.5 | 15 | 26,700 | 65,100 | 75 | 105 | 135 | 150 | 165 | 180 | 195 | 210 | | |
| KP80-1518 | 15 | 18 | 31,500 | 76,300 | 90 | 126 | 162 | 180 | 198 | 216 | 234 | 252 | | |
| KP80-1721 | 17.5 | 21 | 35,900 | 85,700 | 105 | 147 | 189 | 210 | 231 | 252 | 273 | 294 | | |
| KP80-2024 | 20 | 24 | 41,900 | 98150 | 120 | 168 | 216 | 240 | 264 | 288 | 312 | 336 | | |

| MODEL : KP-100 K-Type | | OUTLET : 2 | VOLT : 420 | | DUTY POINT H. PER STG. : 12 MAX. HEAD PER STG. : 15 | | | | | | | | | |
|-----------------------|------|------------|----------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|--|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | | |
| | | | | | 450 | 405 | 360 | 330 | 280 | 250 | 220 | 170 | LPM | |
| KP100-35 | 3 | 3 | 9,400 | 32,400 | 15 | 21 | 27 | 30 | 33 | 36 | 39 | 41 | Total Head in Meter | |
| KP100-55 | 5 | 5 | 12,700 | 38,400 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | | |
| KP100-66 | 6 | 6 | 14,200 | 42,550 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | | |
| KP100-758 | 7.5 | 8 | 17,300 | 49,400 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | | |
| KP100-1010 | 10 | 10 | 20,400 | 55,200 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | | |
| KP100-1212 | 12 | 12 | 23,400 | 61,800 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | | |
| KP100-1515 | 15 | 15 | 28,400 | 73,200 | 75 | 105 | 135 | 150 | 165 | 180 | 195 | 210 | | |
| KP100-1718 | 17.5 | 18 | 33,000 | 82,800 | 90 | 126 | 162 | 180 | 198 | 216 | 234 | 252 | | |
| KP100-2020 | 20 | 20 | 37,700 | 93,950 | 100 | 140 | 180 | 200 | 220 | 240 | 260 | 280 | | |
| KP100-2525 | 25 | 25 | 47,400 | 1,12,400 | 125 | 175 | 225 | 250 | 275 | 300 | 325 | 350 | | |



V-6
50
FEET HEAD

V-6 Submersible Pump Set Made From S.S. 304 Grade
Bowl Set S.S. Impeller 410 Grade Suitable for 150mm Bore dia.



| MODEL : KP-125 K-Type | | OUTLET : 2.5 | | VOLT : 420 | | DUTY POINT H. PER STG. : 12 MAX. HEAD PER STG. : 15 | | | | | | | |
|-----------------------|------|--------------|----------------|--------------------|-------------------------------|--|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 565 | 515 | 435 | 415 | 370 | 330 | 290 | 240 | |
| KP125-54 | 5 | 4 | 11,200 | 36,900 | 20 | 28 | 36 | 40 | 44 | 48 | 52 | 56 | Total Head In Meter |
| KP125-65 | 6 | 5 | 12,900 | 41,250 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | |
| KP125-756 | 7.5 | 6 | 14,400 | 46,500 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | |
| KP125-108 | 10 | 8 | 17,600 | 52,400 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP125-1210 | 12.5 | 10 | 20,700 | 59,100 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |
| KP125-1512 | 15 | 12 | 24,200 | 69,000 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | |
| KP125-1714 | 17.5 | 14 | 27,300 | 77,100 | 70 | 98 | 126 | 140 | 154 | 168 | 182 | 196 | |
| KP125-2016 | 20 | 16 | 31,800 | 88,050 | 80 | 112 | 144 | 160 | 176 | 192 | 208 | 224 | |
| KP125-2520 | 25 | 20 | 40,000 | 1,05,000 | 100 | 140 | 180 | 200 | 220 | 240 | 260 | 280 | |

| MODEL : KP-150 K-Type | | OUTLET : 2.5 | | VOLT : 420 | | DUTY POINT H. PER STG. : 12 MAX. HEAD PER STG. : 15 | | | | | | | |
|-----------------------|------|--------------|----------------|--------------------|-------------------------------|--|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 625 | 590 | 540 | 510 | 480 | 440 | 380 | 325 | |
| KP150-32 | 3 | 2 | 8,000 | 31,000 | 10 | 14 | 18 | 20 | 22 | 24 | 26 | 28 | Total Head In Meter |
| KP150-53 | 5 | 3 | 9,700 | 35,400 | 15 | 21 | 27 | 30 | 33 | 36 | 39 | 41 | |
| KP150-64 | 6 | 4 | 11,300 | 39,650 | 20 | 28 | 36 | 40 | 44 | 48 | 52 | 56 | |
| KP150-755 | 7.5 | 5 | 12,700 | 44,800 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | |
| KP150-107 | 10 | 7 | 15,900 | 50,700 | 35 | 49 | 63 | 70 | 77 | 84 | 91 | 98 | |
| KP150-128 | 12.5 | 8 | 17,700 | 56,100 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP150-1510 | 15 | 10 | 20,800 | 65,600 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |
| KP150-1712 | 17.5 | 12 | 24,000 | 73,800 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | |
| KP150-2013 | 20 | 13 | 26,500 | 82,750 | 65 | 91 | 117 | 130 | 143 | 156 | 169 | 182 | |
| KP150-2517 | 25 | 17 | 34,600 | 99,600 | 85 | 119 | 153 | 170 | 187 | 204 | 221 | 238 | |

| MODEL : KP-200 K-Type | | OUTLET : 2.5 | | VOLT : 420 | | DUTY POINT H. PER STG. : 12 MAX. HEAD PER STG. : 15 | | | | | | | |
|-----------------------|------|--------------|----------------|--------------------|-------------------------------|--|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 710 | 660 | 600 | 560 | 520 | 470 | 410 | 325 | |
| KP200-52 | 5 | 2 | 9,100 | 34,800 | 10 | 14 | 18 | 20 | 22 | 24 | 26 | 28 | Total Head In Meter |
| KP200-63 | 6 | 3 | 11,000 | 39,350 | 15 | 21 | 27 | 30 | 33 | 36 | 39 | 41 | |
| KP200-754 | 7.5 | 4 | 13,000 | 45,100 | 20 | 28 | 36 | 40 | 44 | 48 | 52 | 56 | |
| KP200-105 | 10 | 5 | 15,000 | 49,800 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | |
| KP200-126 | 12.5 | 6 | 17,400 | 55,800 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | |
| KP200-158 | 15 | 8 | 21,400 | 66,200 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP200-179 | 17.5 | 9 | 23,700 | 73,500 | 45 | 63 | 81 | 90 | 99 | 108 | 117 | 126 | |
| KP200-2010 | 20 | 10 | 26,400 | 82,650 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |
| KP200-2513 | 25 | 13 | 32,000 | 97,000 | 65 | 91 | 117 | 130 | 143 | 156 | 169 | 182 | |



V-6
70
FEET HEAD

V-6 Submersible Pump Set Made From S.S. 304 Grade
Bowl Set S.S. Impeller 304 Grade Suitable for 150mm Bore dia.



| MODEL : SS-780 | | | OUTLET : 2 VOLT : 420 | | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 21 | | | | | | | | |
|----------------|------|--------|-----------------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 215 | 205 | 180 | 145 | 130 | 115 | 100 | 70 | |
| KP780-34 | 3 | 4 | 12,100 | 35,100 | 36 | 40 | 48 | 60 | 64 | 68 | 72 | 76 | Total Head In Meter |
| KP780-56 | 5 | 6 | 16,200 | 41,900 | 54 | 60 | 72 | 90 | 96 | 102 | 108 | 114 | |
| KP780-68 | 6 | 8 | 19,900 | 48,250 | 72 | 80 | 96 | 120 | 128 | 136 | 144 | 152 | |
| KP780-7510 | 7.5 | 10 | 23,600 | 55,700 | 90 | 100 | 120 | 150 | 160 | 170 | 180 | 190 | |
| KP780-1012 | 10 | 12 | 27,300 | 62,100 | 108 | 120 | 144 | 180 | 192 | 204 | 216 | 228 | |
| KP780-1215 | 12.5 | 15 | 32,800 | 71,200 | 135 | 150 | 180 | 225 | 240 | 255 | 270 | 285 | |
| KP780-1518 | 15 | 18 | 39,000 | 83,800 | 162 | 180 | 216 | 270 | 288 | 306 | 324 | 342 | |
| KP780-1722 | 17.5 | 22 | 44,700 | 94,500 | 198 | 220 | 264 | 330 | 352 | 374 | 396 | 418 | |
| KP780-2025 | 20 | 25 | 52,400 | 1,08,650 | 225 | 250 | 300 | 375 | 400 | 425 | 450 | 475 | |

| MODEL : SS-710 | | | OUTLET : 2 VOLT : 420 | | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 21 | | | | | | | | |
|----------------|------|--------|-----------------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 290 | 275 | 240 | 195 | 175 | 160 | 140 | 110 | |
| KP710-33 | 3 | 3 | 10,600 | 33,600 | 27 | 30 | 36 | 45 | 48 | 51 | 54 | 57 | Total Head In Meter |
| KP710-55 | 5 | 5 | 14,700 | 40,400 | 45 | 50 | 60 | 75 | 80 | 85 | 90 | 95 | |
| KP710-66 | 6 | 6 | 16,700 | 45,050 | 54 | 60 | 72 | 90 | 96 | 102 | 108 | 114 | |
| KP710-758 | 7.5 | 8 | 20,600 | 52,700 | 72 | 80 | 96 | 120 | 128 | 136 | 144 | 152 | |
| KP710-1010 | 10 | 10 | 24,500 | 59,300 | 90 | 100 | 120 | 150 | 160 | 170 | 180 | 190 | |
| KP710-1212 | 12.5 | 12 | 28,400 | 66,800 | 108 | 120 | 144 | 180 | 192 | 204 | 216 | 228 | |
| KP710-1515 | 15 | 15 | 34,500 | 79,300 | 135 | 150 | 180 | 225 | 240 | 255 | 270 | 285 | |
| KP710-1718 | 17.5 | 18 | 40,600 | 90,400 | 162 | 180 | 216 | 270 | 288 | 306 | 324 | 342 | |
| KP710-2020 | 20 | 20 | 46,400 | 1,02,650 | 180 | 200 | 240 | 300 | 205 | 340 | 360 | 380 | |
| KP710-2525 | 25 | 25 | 58,800 | 1,23,800 | 225 | 250 | 300 | 375 | 400 | 425 | 450 | 475 | |



V-6
70
FEET HEAD

V-6 Submersible Pump Set Made From S.S. 304 Grade
Bowl Set S.S. Impeller 304 Grade Suitable for 150mm Bore dia.



| MODEL : SS-712 | | | OUTLET : 2.5 VOLT : 420 | | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 21 | | | | | | | | |
|----------------|------|--------|-------------------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 375 | 360 | 330 | 270 | 250 | 225 | 205 | 170 | |
| KP712-54 | 5 | 4 | 13,100 | 38,800 | 36 | 40 | 60 | 60 | 64 | 68 | 72 | 76 | Total Head In Meter |
| KP710-65 | 6 | 5 | 15,300 | 43,650 | 45 | 50 | 72 | 75 | 80 | 85 | 90 | 95 | |
| KP710-756 | 7.5 | 6 | 17,300 | 49,400 | 54 | 60 | 96 | 90 | 96 | 102 | 108 | 114 | |
| KP710-108 | 10 | 8 | 21,300 | 56,100 | 72 | 80 | 120 | 120 | 128 | 136 | 144 | 152 | |
| KP710-1210 | 12.5 | 10 | 25,800 | 64,200 | 90 | 100 | 144 | 150 | 160 | 170 | 180 | 190 | |
| KP710-1512 | 15 | 12 | 29,900 | 74,700 | 108 | 120 | 180 | 180 | 192 | 204 | 216 | 228 | |
| KP710-1714 | 17.5 | 14 | 34,100 | 83,900 | 126 | 140 | 168 | 210 | 224 | 238 | 252 | 266 | |
| KP710-2016 | 20 | 16 | 39,800 | 96,050 | 144 | 160 | 192 | 240 | 256 | 272 | 288 | 304 | |
| KP710-2520 | 25 | 20 | 48,400 | 1,13,400 | 180 | 200 | 240 | 300 | 320 | 340 | 360 | 380 | |

| MODEL : SS-715 | | | OUTLET : 2.5 VOLT : 420 | | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 21 | | | | | | | | |
|----------------|------|--------|-------------------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 440 | 415 | 390 | 315 | 290 | 265 | 240 | 200 | |
| KP715-32 | 3 | 2 | 8,900 | 31,900 | 18 | 20 | 24 | 30 | 32 | 31 | 36 | 38 | Total Head In Meter |
| KP715-53 | 5 | 3 | 11,100 | 36,800 | 27 | 30 | 36 | 45 | 48 | 51 | 54 | 57 | |
| KP715-64 | 6 | 4 | 13,100 | 41,450 | 36 | 40 | 48 | 60 | 64 | 68 | 72 | 76 | |
| KP715-755 | 7.5 | 5 | 15,000 | 47,100 | 45 | 50 | 60 | 75 | 80 | 85 | 90 | 95 | |
| KP715-107 | 10 | 7 | 19,200 | 54,000 | 63 | 70 | 84 | 105 | 112 | 119 | 126 | 133 | |
| KP715-128 | 12.5 | 8 | 21,200 | 59,600 | 72 | 80 | 96 | 120 | 128 | 136 | 144 | 152 | |
| KP715-1510 | 15 | 10 | 25,600 | 70,400 | 90 | 100 | 120 | 150 | 160 | 170 | 180 | 190 | |
| KP715-1712 | 17.5 | 12 | 29,700 | 79,500 | 108 | 120 | 144 | 180 | 192 | 204 | 216 | 228 | |
| KP715-2013 | 20 | 13 | 33,000 | 89,250 | 117 | 130 | 156 | 195 | 208 | 221 | 234 | 247 | |
| KP715-2516 | 25 | 16 | 41,500 | 1,06,500 | 144 | 160 | 192 | 240 | 256 | 272 | 288 | 304 | |

| MODEL : SS-720 | | | OUTLET : 2.5 VOLT : 420 | | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 21 | | | | | | | | |
|----------------|------|--------|-------------------------|--------------------|--|-----|-----|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
| | | | | | 600 | 580 | 535 | 435 | 400 | 370 | 335 | 300 | |
| KP720-63 | 6 | 3 | 12,400 | 40,750 | 27 | 30 | 36 | 45 | 48 | 51 | 54 | 57 | Total Head In Meter |
| KP720-754 | 7.5 | 4 | 14,900 | 47,000 | 36 | 40 | 48 | 60 | 64 | 68 | 72 | 76 | |
| KP720-105 | 10 | 5 | 17,400 | 52,200 | 45 | 50 | 60 | 75 | 80 | 85 | 90 | 95 | |
| KP720-126 | 12.5 | 6 | 20,200 | 58,600 | 63 | 60 | 72 | 90 | 96 | 102 | 108 | 114 | |
| KP720-158 | 15 | 8 | 25,100 | 69,900 | 72 | 80 | 96 | 120 | 128 | 136 | 144 | 152 | |
| KP720-179 | 17.5 | 9 | 27,600 | 77,400 | 81 | 90 | 108 | 135 | 144 | 153 | 162 | 171 | |
| KP720-2010 | 20 | 10 | 31,400 | 87,650 | 90 | 100 | 120 | 150 | 160 | 170 | 180 | 190 | |
| KP720-2512 | 25 | 12 | 36,700 | 1,01,700 | 108 | 120 | 144 | 180 | 192 | 204 | 216 | 228 | |



V-6
50
FEET HEAD

V-6 Submersible Pump Set Made From C.I. Grade
Bowl Set Nylon Impeller Grade Suitable for 150mm Bore dia.



MODEL : KP-60 K-Type OUTLET : 2 VOLT : 420

DUTY POINT H. PER STG. : 12
MAX. HEAD PER STG. : 14.5

| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM | |
|------------|------|--------|----------------|--------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|---------------------|
| | | | | | 250 | 225 | 195 | 180 | 160 | 150 | 130 | | 100 |
| KP60-35 | 3 | 5 | 8,600 | 31,600 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | Total Head in Meter |
| KP60-58 | 5 | 8 | 10,600 | 36,300 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP60-610 | 6 | 10 | 12,000 | 40,350 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |
| KP60-7512 | 7.5 | 12 | 13,400 | 45,500 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | |
| KP60-1016 | 10 | 16 | 16,800 | 51,600 | 80 | 112 | 144 | 160 | 176 | 192 | 208 | 224 | |
| KP60-12520 | 12.5 | 20 | 19,500 | 57,900 | 100 | 140 | 180 | 200 | 220 | 240 | 260 | 280 | |
| KP60-1524 | 15 | 24 | 23,300 | 68,100 | 120 | 168 | 216 | 240 | 264 | 288 | 312 | 336 | |
| KP60-1726 | 17.5 | 26 | 24,900 | 74,700 | 130 | 182 | 234 | 260 | 286 | 312 | 338 | 364 | |

MODEL : KP-80 K-Type OUTLET : 2 VOLT : 420

DUTY POINT H. PER STG. : 12
MAX. HEAD PER STG. : 15

| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM | |
|------------|------|--------|----------------|--------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|---------------------|
| | | | | | 310 | 280 | 250 | 225 | 205 | 180 | 150 | | 110 |
| KP80-34 | 3 | 4 | 8,000 | 31,000 | 20 | 28 | 36 | 40 | 44 | 48 | 52 | 56 | Total Head in Meter |
| KP80-56 | 5 | 6 | 9,400 | 35,100 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | |
| KP80-68 | 6 | 8 | 10,800 | 39,150 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP80-7510 | 7.5 | 10 | 12,200 | 44,300 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |
| KP80-1012 | 10 | 12 | 14,200 | 49,900 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | |
| KP80-12515 | 12.5 | 15 | 16,400 | 54,800 | 75 | 105 | 135 | 150 | 165 | 180 | 195 | 210 | |
| KP80-1518 | 15 | 18 | 19,400 | 64,200 | 90 | 126 | 162 | 180 | 198 | 216 | 234 | 252 | |
| KP80-1721 | 17.5 | 21 | 21,600 | 71,400 | 105 | 147 | 189 | 210 | 231 | 252 | 273 | 294 | |
| KP80-2024 | 20 | 24 | 24,000 | 80,250 | 120 | 168 | 216 | 240 | 264 | 288 | 312 | 336 | |

MODEL : KP-100 K-Type OUTLET : 2 VOLT : 420

DUTY POINT H. PER STG. : 12
MAX. HEAD PER STG. : 15

| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM | |
|------------|------|--------|----------------|--------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|---------------------|
| | | | | | 450 | 405 | 360 | 330 | 280 | 250 | 220 | | 170 |
| KP100-32 | 3 | 3 | 7,400 | 30,400 | 15 | 21 | 27 | 30 | 33 | 36 | 39 | 41 | Total Head in Meter |
| KP100-55 | 5 | 5 | 8,800 | 34,500 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | |
| KP100-66 | 6 | 6 | 9,600 | 37,950 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | |
| KP100-758 | 7.5 | 8 | 11,100 | 43,200 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP100-1010 | 10 | 10 | 13,000 | 47,800 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |
| KP100-1212 | 12 | 12 | 14,700 | 53,100 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | |
| KP100-1515 | 15 | 15 | 17,600 | 62,400 | 75 | 105 | 135 | 150 | 165 | 180 | 195 | 210 | |
| KP100-1718 | 17.5 | 18 | 20,100 | 69,900 | 90 | 126 | 162 | 180 | 198 | 216 | 234 | 252 | |
| KP100-2020 | 20 | 20 | 21,600 | 77,850 | 100 | 140 | 180 | 200 | 220 | 240 | 260 | 280 | |



V-6
50
FEET HEAD

V-6 Submersible Pump Set Made From C.I. Grade Bowl Set Nylon Impeller Grade Suitable for 150mm Bore dia.



**MODEL : KP-125 K-Type OUTLET : 2.5 VOLT : 420 DUTY POINT H. PER STG. : 12
MAX. HEAD PER STG. : 15**

| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
|------------|------|--------|----------------|--------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|---------------------|
| | | | | | 565 | 515 | 435 | 415 | 370 | 330 | 290 | 240 | |
| KP125-54 | 5 | 4 | 8,200 | 33,900 | 20 | 28 | 36 | 40 | 44 | 48 | 52 | 56 | Total Head In Meter |
| KP125-65 | 6 | 5 | 9,000 | 37,350 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | |
| KP125-756 | 7.5 | 6 | 9,800 | 41,900 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | |
| KP125-108 | 10 | 8 | 11,800 | 46,600 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP125-1210 | 12.5 | 10 | 13,400 | 51,800 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |
| KP125-1512 | 15 | 12 | 15,500 | 60,300 | 60 | 84 | 108 | 120 | 132 | 144 | 156 | 168 | |
| KP125-1714 | 17.5 | 14 | 17,200 | 67,000 | 70 | 96 | 126 | 140 | 154 | 168 | 182 | 196 | |
| KP125-2016 | 20 | 16 | 19,000 | 75,250 | 80 | 112 | 144 | 160 | 176 | 192 | 208 | 224 | |

**MODEL : KP-150 K-Type OUTLET : 2.5 VOLT : 420 DUTY POINT H. PER STG. : 12
MAX. HEAD PER STG. : 15**

| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
|------------|------|--------|----------------|--------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|---------------------|
| | | | | | 625 | 590 | 540 | 510 | 480 | 440 | 380 | 325 | |
| KP150-32 | 3 | 2 | 6,800 | 29,800 | 10 | 14 | 18 | 20 | 22 | 24 | 26 | 28 | Total Head In Meter |
| KP150-53 | 5 | 3 | 7,600 | 33,300 | 15 | 21 | 27 | 40 | 33 | 36 | 39 | 41 | |
| KP150-64 | 6 | 4 | 8,400 | 36,750 | 20 | 28 | 36 | 50 | 44 | 48 | 52 | 56 | |
| KP150-755 | 7.5 | 5 | 9,100 | 41,200 | 25 | 35 | 45 | 70 | 55 | 60 | 65 | 70 | |
| KP150-107 | 10 | 7 | 11,600 | 46,400 | 35 | 49 | 63 | 80 | 77 | 84 | 91 | 98 | |
| KP150-128 | 12.5 | 8 | 12,400 | 50,800 | 40 | 56 | 72 | 100 | 88 | 96 | 104 | 112 | |
| KP150-1510 | 15 | 10 | 14,400 | 59,200 | 50 | 70 | 90 | 120 | 110 | 120 | 130 | 140 | |
| KP150-1712 | 17.5 | 12 | 16,200 | 66,000 | 60 | 84 | 108 | 130 | 132 | 144 | 156 | 168 | |
| KP150-2013 | 20 | 13 | 17,500 | 73,750 | 65 | 91 | 117 | 143 | 156 | 169 | 182 | | |

**MODEL : KP-200 K-Type OUTLET : 2.5 VOLT : 420 DUTY POINT H. PER STG. : 12
MAX. HEAD PER STG. : 15**

| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | | LPM |
|------------|------|--------|----------------|--------------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|---------------------|
| | | | | | 710 | 660 | 600 | 560 | 520 | 470 | 410 | 325 | |
| KP200-52 | 5 | 2 | 7,000 | 32,700 | 10 | 14 | 18 | 20 | 22 | 24 | 26 | 28 | Total Head In Meter |
| KP200-63 | 6 | 3 | 8,000 | 36,350 | 15 | 21 | 27 | 30 | 33 | 36 | 39 | 41 | |
| KP200-754 | 7.5 | 4 | 8,800 | 40,900 | 20 | 28 | 36 | 40 | 44 | 48 | 52 | 56 | |
| KP200-105 | 10 | 5 | 10,000 | 44,800 | 25 | 35 | 45 | 50 | 55 | 60 | 65 | 70 | |
| KP200-126 | 12.5 | 6 | 11,000 | 49,400 | 30 | 42 | 54 | 60 | 66 | 72 | 78 | 84 | |
| KP200-158 | 15 | 8 | 13,400 | 58,200 | 40 | 56 | 72 | 80 | 88 | 96 | 104 | 112 | |
| KP200-179 | 17.5 | 9 | 14,300 | 64,100 | 45 | 63 | 81 | 90 | 99 | 108 | 117 | 126 | |
| KP200-2010 | 20 | 10 | 15,800 | 72,050 | 50 | 70 | 90 | 100 | 110 | 120 | 130 | 140 | |





| MODEL : KP-61 Q-Type | | | | | OUTLET : 2.5 VOLT : 420 | | | DUTY POINT H. PER STG. : 8 MAX. HEAD PER STG. : 12 | | | | |
|----------------------|------|--------|---------------------|--------------------|-------------------------------|-----|-----|---|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR ONLY PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 960 | 825 | 680 | 600 | 470 | 360 | 250 | |
| KCQ61-54 | 5 | 4 | 8,000 | 33,700 | 8 | 16 | 24 | 28 | 32 | 36 | 40 | Total Head In Meter |
| KCQ61-65 | 6 | 5 | 9,200 | 37,550 | 10 | 20 | 30 | 35 | 40 | 45 | 50 | |
| KCQ61-756 | 7.5 | 6 | 10,800 | 42,900 | 12 | 24 | 36 | 42 | 48 | 54 | 60 | |
| KCQ61-108 | 10 | 8 | 13,400 | 48,200 | 16 | 32 | 48 | 56 | 64 | 72 | 80 | |
| KCQ61-1210 | 12.5 | 10 | 16,400 | 54,800 | 20 | 40 | 60 | 70 | 80 | 90 | 100 | |
| KCQ61-1512 | 15 | 12 | 18,800 | 63,600 | 24 | 48 | 72 | 84 | 96 | 108 | 120 | |
| KCQ61-1714 | 17.5 | 14 | 21,400 | 71,200 | 28 | 56 | 84 | 98 | 112 | 126 | 140 | |
| KCQ61-2016 | 20 | 16 | 24,000 | 80,250 | 32 | 64 | 96 | 112 | 128 | 144 | 160 | |

| MODEL : KP-62 Q-Type | | | | | OUTLET : 2.5 VOLT : 420 | | | DUTY POINT H. PER STG. : 8 MAX. HEAD PER STG. : 12 | | | | |
|----------------------|------|--------|---------------------|--------------------|-------------------------------|-----|-----|---|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR ONLY PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 1040 | 920 | 770 | 670 | 550 | 435 | 336 | |
| KCQ62-53 | 5 | 3 | 6,900 | 32,600 | 6 | 12 | 18 | 21 | 24 | 27 | 30 | Total Head In Meter |
| KCQ62-64 | 6 | 4 | 8,000 | 36,350 | 8 | 16 | 24 | 28 | 32 | 36 | 40 | |
| KCQ62-755 | 7.5 | 5 | 9,200 | 41,300 | 10 | 20 | 30 | 35 | 40 | 45 | 50 | |
| KCQ62-107 | 10 | 7 | 12,000 | 46,800 | 14 | 28 | 42 | 49 | 56 | 63 | 70 | |
| KCQ62-128 | 12.5 | 8 | 13,400 | 51,800 | 16 | 32 | 48 | 56 | 64 | 72 | 80 | |
| KCQ62-1510 | 15 | 10 | 16,400 | 61,200 | 20 | 40 | 60 | 70 | 80 | 90 | 100 | |
| KCQ62-1712 | 17.5 | 12 | 18,800 | 68,600 | 24 | 48 | 72 | 84 | 96 | 108 | 120 | |
| KCQ62-2013 | 20 | 13 | 20,200 | 76,450 | 26 | 52 | 78 | 91 | 104 | 117 | 130 | |
| KCQ62-2516 | 25 | 16 | 24,000 | 89,000 | 32 | 64 | 96 | 112 | 128 | 144 | 160 | |

| MODEL : KP-64 Q-Type | | | | | OUTLET : 2.5 VOLT : 420 | | | DUTY POINT H. PER STG. : 8 MAX. HEAD PER STG. : 12 | | | | |
|----------------------|------|--------|---------------------|--------------------|-------------------------------|------|-----|---|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR ONLY PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 1240 | 1080 | 890 | 760 | 610 | 470 | 350 | |
| KCQ64-63 | 6 | 3 | 6,900 | 35,250 | 6 | 12 | 18 | 21 | 24 | 27 | 30 | Total Head In Meter |
| KCQ64-754 | 7.5 | 4 | 8,000 | 40,100 | 8 | 16 | 24 | 28 | 32 | 36 | 40 | |
| KCQ64-105 | 10 | 5 | 9,200 | 44,000 | 10 | 20 | 30 | 35 | 40 | 45 | 50 | |
| KCQ64-126 | 12.5 | 6 | 10,800 | 49,200 | 12 | 24 | 36 | 42 | 48 | 54 | 60 | |
| KCQ64-158 | 15 | 8 | 13,400 | 58,200 | 16 | 32 | 48 | 56 | 64 | 72 | 80 | |
| KCQ64-179 | 17.5 | 9 | 14,600 | 64,400 | 18 | 36 | 54 | 63 | 72 | 81 | 90 | |
| KCQ64-2010 | 20 | 10 | 16,400 | 72,650 | 20 | 40 | 60 | 70 | 80 | 90 | 100 | |
| KCQ64-2513 | 25 | 13 | 20,200 | 85,200 | 26 | 52 | 78 | 91 | 104 | 117 | 130 | |

| MODEL : KP-65 Q-Type | | | | | OUTLET : 2.5 VOLT : 420 | | | DUTY POINT H. PER STG. : 8 MAX. HEAD PER STG. : 12 | | | | |
|----------------------|------|--------|---------------------|--------------------|-------------------------------|------|------|---|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR ONLY PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 1300 | 1220 | 1000 | 860 | 700 | 550 | 425 | |
| KCQ65-753 | 7.5 | 3 | 6,900 | 39,000 | 6 | 12 | 18 | 21 | 24 | 27 | 30 | Total Head In Meter |
| KCQ65-104 | 10 | 4 | 8,000 | 42,800 | 8 | 16 | 24 | 28 | 32 | 36 | 40 | |
| KCQ65-125 | 12.5 | 5 | 9,200 | 47,600 | 10 | 20 | 30 | 35 | 40 | 45 | 50 | |
| KCQ65-156 | 15 | 6 | 10,800 | 55,600 | 12 | 24 | 36 | 42 | 48 | 54 | 60 | |
| KCQ65-177 | 17.5 | 7 | 12,000 | 61,800 | 14 | 28 | 42 | 49 | 56 | 63 | 70 | |
| KCQ65-208 | 20 | 8 | 13,400 | 69,650 | 16 | 32 | 48 | 56 | 64 | 72 | 80 | |
| KCQ65-2510 | 25 | 10 | 16,400 | 81,400 | 20 | 40 | 60 | 70 | 80 | 90 | 100 | |



V-6
MIX FLOW

V-6 Submersible Pump Set Made From C.I.BOWL
S.S. Impeller 410 Grade Suitable for 150mm Bore dia.



| MODEL : MF 262-10 | | OUTLET : 2.5 | | VOLT : 420 | | DUTY POINT H. PER STG. :8 MAX. HEAD PER STG. : 12 | | | | | | |
|-------------------|------|--------------|----------------|--------------------|-------------------------------|--|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 200 | 380 | 430 | 500 | 550 | 580 | 630 | LPM |
| KP262-10-33 | 3 | 3 | 7,600 | 30,600 | 30 | 27 | 24 | 21 | 24 | 20 | 12 | Total Head In Meter |
| KP262-10-55 | 5 | 5 | 10,800 | 36,500 | 50 | 45 | 40 | 35 | 30 | 25 | 20 | |
| KP262-10-66 | 6 | 6 | 12,400 | 40,750 | 60 | 54 | 48 | 42 | 36 | 30 | 24 | |
| KP262-10-758 | 7.5 | 8 | 15,600 | 47,700 | 80 | 72 | 64 | 56 | 48 | 40 | 30 | |
| KP262-10-1010 | 10 | 10 | 19,000 | 53,800 | 100 | 90 | 80 | 70 | 60 | 50 | 40 | |
| KP262-10-1212 | 12.5 | 12 | 22,200 | 60,600 | 120 | 108 | 96 | 84 | 72 | 60 | 48 | |
| KP262-10-1515 | 15 | 15 | 27,000 | 71,800 | 150 | 135 | 120 | 105 | 90 | 75 | 60 | |

| MODEL : MF 262-12 | | OUTLET : 2.5 | | VOLT : 420 | | DUTY POINT H. PER STG. :8 MAX. HEAD PER STG. : 12 | | | | | | |
|-------------------|------|--------------|----------------|--------------------|-------------------------------|--|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 200 | 350 | 450 | 540 | 600 | 700 | 750 | LPM |
| KP262-12-54 | 5 | 4 | 9,200 | 34,900 | 44 | 40 | 36 | 32 | 28 | 24 | 20 | Total Head In Meter |
| KP262-12-65 | 6 | 5 | 10,800 | 39,150 | 55 | 50 | 45 | 40 | 35 | 30 | 25 | |
| KP262-12-756 | 7.5 | 6 | 12,400 | 44,500 | 66 | 60 | 54 | 48 | 42 | 36 | 30 | |
| KP262-12-108 | 10 | 8 | 15,600 | 50,400 | 88 | 80 | 72 | 64 | 56 | 48 | 40 | |
| KP262-12-1210 | 12.5 | 10 | 19,000 | 57,400 | 110 | 100 | 90 | 80 | 70 | 60 | 50 | |
| KP262-12-1512 | 15 | 12 | 22,200 | 67,000 | 132 | 120 | 108 | 96 | 84 | 72 | 60 | |
| KP262-12-1714 | 17.5 | 14 | 26,400 | 76,200 | 154 | 140 | 126 | 112 | 98 | 84 | 70 | |
| KP262-12-2016 | 20 | 16 | 29,800 | 86,050 | 176 | 160 | 144 | 128 | 112 | 96 | 80 | |



V-6
MIX FLOW

V-6 Submersible Pump Set Made From C.I.BOWL
S.S. Impeller 410 Grade Suitable for 150mm Bore dia.



| MODEL : MF 273-15 | | OUTLET : 3 | | VOLT : 420 | | DUTY POINT H. PER STG. : 8 MAX. HEAD PER STG. : 12 | | | | | | |
|-------------------|------|------------|----------------|--------------------|-------------------------------|---|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 280 | 450 | 570 | 600 | 710 | 780 | 870 | |
| KP273-15-53 | 5 | 3 | 8,300 | 34,000 | 33 | 30 | 27 | 24 | 24 | 18 | 15 | Total Head in Meter |
| KP273-15-64 | 6 | 4 | 10,000 | 38,350 | 44 | 40 | 36 | 32 | 28 | 24 | 20 | |
| KP273-15-755 | 7.5 | 5 | 11,800 | 43,900 | 55 | 50 | 45 | 40 | 35 | 30 | 25 | |
| KP273-15-107 | 10 | 7 | 15,400 | 50,200 | 77 | 70 | 63 | 56 | 49 | 42 | 35 | |
| KP273-15-128 | 12.5 | 8 | 17,400 | 55,800 | 88 | 80 | 72 | 64 | 56 | 48 | 40 | |
| KP273-15-1510 | 15 | 10 | 21,400 | 66,200 | 110 | 100 | 90 | 80 | 70 | 60 | 50 | |
| KP273-15-1712 | 17.5 | 12 | 25,800 | 75,600 | 132 | 120 | 108 | 96 | 84 | 72 | 60 | |
| KP273-15-2013 | 20 | 13 | 27,600 | 83,850 | 143 | 130 | 117 | 104 | 91 | 78 | 65 | |

| MODEL : MF 302-20 | | OUTLET : 3 | | VOLT : 420 | | DUTY POINT H. PER STG. : 8 MAX. HEAD PER STG. : 12 | | | | | | |
|-------------------|------|------------|----------------|--------------------|-------------------------------|---|-----|-----|-----|-----|-----|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 450 | 570 | 680 | 780 | 850 | 900 | 980 | |
| KP302-20-63 | 6 | 3 | 8,400 | 36,750 | 33 | 30 | 27 | 28 | 24 | 18 | 15 | Total Head in Meter |
| KP302-20-754 | 7.5 | 4 | 10,100 | 42,200 | 44 | 40 | 36 | 32 | 28 | 24 | 20 | |
| KP302-20-105 | 10 | 5 | 12,200 | 47,000 | 55 | 50 | 45 | 40 | 35 | 30 | 25 | |
| KP302-20-126 | 12.5 | 6 | 14,000 | 52,400 | 66 | 60 | 54 | 48 | 42 | 36 | 30 | |
| KP302-20-157 | 15 | 7 | 17,600 | 62,400 | 77 | 70 | 63 | 56 | 49 | 42 | 35 | |
| KP302-20-179 | 17.5 | 9 | 20,400 | 70,200 | 99 | 90 | 81 | 72 | 63 | 54 | 45 | |
| KP302-20-2010 | 20 | 10 | 23,000 | 79,250 | 110 | 100 | 90 | 80 | 70 | 60 | 50 | |

| MODEL : MF 302-25 | | OUTLET : 3 | | VOLT : 420 | | DUTY POINT H. PER STG. : 8 MAX. HEAD PER STG. : 12 | | | | | | |
|-------------------|------|------------|----------------|--------------------|-------------------------------|---|-----|-----|------|------|------|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | LPM |
| | | | | | 550 | 700 | 880 | 950 | 1100 | 1200 | 1300 | |
| KP302-25-52 | 5 | 2 | 7,200 | 32,900 | 22 | 20 | 18 | 16 | 14 | 12 | 10 | Total Head in Meter |
| KP302-25-753 | 7.5 | 3 | 8,900 | 41,000 | 33 | 30 | 27 | 24 | 21 | 18 | 15 | |
| KP302-25-104 | 10 | 4 | 11,000 | 45,800 | 44 | 40 | 36 | 32 | 28 | 24 | 20 | |
| KP302-25-125 | 12.5 | 5 | 13,000 | 51,400 | 55 | 50 | 45 | 40 | 35 | 30 | 25 | |
| KP302-25-156 | 15 | 6 | 15,600 | 60,400 | 66 | 60 | 54 | 48 | 42 | 36 | 30 | |
| KP302-25-177 | 17.5 | 7 | 17,600 | 67,400 | 77 | 70 | 63 | 50 | 49 | 42 | 35 | |
| KP302-25-208 | 20 | 8 | 19,600 | 75,850 | 88 | 80 | 72 | 64 | 56 | 48 | 40 | |





| MODEL : 7MF-25 | | | OUTLET : 3 | VOLT : 420 | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 20 | | | | | | | LPM |
|----------------|------|--------|----------------|--------------------|--|-----|-----|-----|-----|------|------|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 500 | 650 | 770 | 880 | 950 | 1000 | 1050 | |
| KP7250-52 | 5 | 2 | 9,000 | 34,700 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | Total Head in Meter |
| KP7250-753 | 7.5 | 3 | 11,400 | 43,500 | 42 | 39 | 36 | 33 | 30 | 27 | 24 | |
| KP7250-104 | 10 | 4 | 14,400 | 49,200 | 56 | 52 | 48 | 44 | 40 | 36 | 32 | |
| KP7250-126 | 12.5 | 5 | 17,400 | 55,800 | 70 | 65 | 60 | 55 | 50 | 45 | 40 | |
| KP7250-156 | 15 | 6 | 20,400 | 65,200 | 84 | 78 | 72 | 66 | 60 | 54 | 48 | |
| KP7250-1757 | 17.5 | 7 | 23,400 | 73,200 | 98 | 91 | 84 | 77 | 70 | 63 | 56 | |
| KP7250-208 | 20 | 8 | 26,400 | 82,650 | 112 | 104 | 96 | 88 | 80 | 72 | 64 | |
| KP7250-2510 | 25 | 10 | 32,400 | 97,400 | 140 | 130 | 120 | 110 | 100 | 90 | 80 | |

| MODEL : 7MF-30 | | | OUTLET : 4 | VOLT : 420 | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 20 | | | | | | | LPM |
|----------------|------|--------|----------------|--------------------|--|-----|-----|------|------|------|------|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 700 | 800 | 930 | 1020 | 1100 | 1170 | 1250 | |
| KP7300-62 | 6 | 2 | 9,000 | 37,350 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | Total Head in Meter |
| KP7300-103 | 10 | 3 | 11,400 | 46,200 | 42 | 39 | 36 | 33 | 30 | 27 | 24 | |
| KP7300-124 | 12.5 | 4 | 14,400 | 52,800 | 56 | 52 | 48 | 44 | 40 | 36 | 32 | |
| KP7300-155 | 15 | 5 | 17,400 | 62,200 | 70 | 65 | 60 | 55 | 50 | 45 | 40 | |
| KP7300-1756 | 17.5 | 6 | 20,400 | 70,200 | 84 | 78 | 72 | 66 | 60 | 54 | 48 | |
| KP7300-207 | 20 | 7 | 23,400 | 79,650 | 98 | 91 | 84 | 77 | 70 | 63 | 56 | |
| KP7300-258 | 25 | 8 | 26,400 | 91,400 | 112 | 104 | 96 | 88 | 80 | 72 | 64 | |

| MODEL : 7MF-40 | | | OUTLET : 4 | VOLT : 420 | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 20 | | | | | | | LPM |
|----------------|------|--------|----------------|--------------------|--|-----|------|------|------|------|------|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 850 | 960 | 1050 | 1130 | 1200 | 1270 | 1350 | |
| KP7400-752 | 7.5 | 2 | 9,200 | 41,300 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | Total Head in Meter |
| KP7400-123 | 12.5 | 3 | 11,600 | 50,000 | 42 | 39 | 36 | 33 | 30 | 27 | 24 | |
| KP7400-154 | 15 | 4 | 14,600 | 59,400 | 56 | 52 | 48 | 44 | 40 | 36 | 32 | |
| KP7400-205 | 20 | 5 | 17,600 | 73,850 | 70 | 65 | 60 | 55 | 50 | 45 | 40 | |
| KP7400-256 | 25 | 6 | 20,600 | 85,600 | 84 | 78 | 72 | 66 | 60 | 54 | 48 | |

| MODEL : 7MF-50 | | | OUTLET : 4 | VOLT : 420 | DUTY POINT H. PER STG. : 15 MAX. HEAD PER STG. : 20 | | | | | | | LPM |
|----------------|------|--------|----------------|--------------------|--|------|------|------|------|------|------|---------------------|
| MODEL | H.P. | S.T.G. | PRICE FOR PUMP | PRICE FOR PUMP SET | DISCHARGE IN LITER PER MINUIT | | | | | | | |
| | | | | | 1050 | 1150 | 1250 | 1300 | 1400 | 1450 | 1520 | |
| KP750-102 | 10 | 2 | 9,200 | 44,000 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | Total Head in Meter |
| KP750-153 | 15 | 3 | 11,600 | 56,400 | 42 | 39 | 36 | 33 | 30 | 27 | 24 | |
| KP750-204 | 20 | 4 | 14,600 | 70,850 | 56 | 52 | 48 | 44 | 40 | 36 | 32 | |
| KP750-255 | 25 | 5 | 17,600 | 82,600 | 70 | 65 | 60 | 55 | 50 | 45 | 40 | |



V-6
ONLY
MOTOR



V-6 SUPER MODEL

| H.P. | RATE |
|------|--------|
| 3 | 21,650 |
| 5 | 23,900 |
| 6 | 26,500 |
| 7.5 | 30,000 |
| 10 | 32,400 |

V-6 PRIMIUM MODEL

| H.P. | RATE |
|------|--------|
| 3 | 23,000 |
| 5 | 25,700 |
| 6 | 28,350 |
| 7.5 | 32,100 |
| 10 | 34,800 |
| 12.5 | 38,400 |
| 15 | 44,800 |
| 17.5 | 49,800 |
| 20 | 56,250 |
| 25 | 65,000 |

V-5

| H.P. | RATE |
|------|--------|
| 3 | 23,600 |
| 5 | 26,700 |
| 6 | 29,100 |
| 7.5 | 32,300 |
| 10 | 36,400 |





Mfg. By :

Dealer :

